




www.Wibloc.be

Protection from incoming traffic... Anti Terror

A unique puzzle of concrete blocks





Wibloc is a specially developed and patented system that can be used during festivals, fairs, concerts, markets, cycling races,... to stop incoming traffic. It is our job to ensure the safety of our fellow man !

Wibloc... Protection from incoming traffic !

A concrete puzzle for protection...




Wibloc has a unique and patented coupling system.



A difference in height between the road surface and the footpath or sidewalk poses no problem for the blocks to be set up.

Wibloc flower box, beautiful and functional...



Interlocked concrete blocks, with flower boxes on top, close the street and do not make the visitors feel like they need to hide behind a concrete wall. A combination of security and elegance...






Wibloc gate, acces for emergency services...





Available in different sizes from 3 to 7 meters

Wibloc gate, close and open again...



The Wibloc gate can both be used with a support wheel, to be used on an even surface, or in a floating position for larger differences in height between the pavement and the road surface.





Wibloc XL as a support for the sliding gate.

The sliding gate does not need a support wheel.

Wibloc XL ideal for limited space on footpath

All these applications can be tailor-made



Height-adjustable seat for sliding gate.

Wibloc side connection.



Left side connection

In case of lack of space, the side connection can be used to fix the closure of the entrance gate in place.



Right side connection

The dimensions and weight of this Wibloc side connection are the same as those of the standard block.

Wibloc panic passageway.



In case of panic, the secured zone can be cleared through the panic passage..

This lowered passage is only 30 cm high and 1.5 m wide by default. The armament runs through entirely, so that this Wibloc will also remain in the system perfectly and the strength of the chains won't be interrupted.



Wibloc roundabout...



Wibloc can be set up as a complete roundabout.



Minimum dimensions roundabout:

Inside diameter 12 meters.

Outside diameter 13.6 meters.

Exterior with flower box on top diameter: 14 meters.

Wibloc Large 3,25 meters wide



Wibloc large uses the same coupling system and is therefore compatible with the standard Wibloc. The large does not have to be placed on a straight line either and can also handle differences in height between road surface and sidewalk. The large weighs 2 tons and can be placed with a forklift truck or with a crane.



Wibloc against flooding...



Wibloc can be made waterproof by means of special rubber seals.
The concrete blocks then form an impenetrable wall in case of flooding.
Quickly deployable and cost-saving ...

Wibloc panic passage in combination with a flower box






Flower box placed in panic passage, so that it reaches the same height at the top

Dimensions and weight.

Wibloc Standard



The first block is 2.16 m long and the subsequent blocks interlock so that each additional block effectively adds 1.65m.


1 blok : 2,16 m
2 blokken : 3,81 m
3 blokken : 5,46 m
4 blokken : 7,11 m
5 blokken : 8,76 m

6 blokken : 10,41 m
7 blokken : 12,06 m
8 blokken : 13,71 m
9 blokken : 15,36 m
10 blokken : 17,01 m

11 blokken : 18,66 m
12 blokken : 20,31 m
13 blokken : 21,96 m
14 blokken : 23,61 m
15 blokken : 25,26 m

Dimensions and weight.

Wibloc Large with endpiece



Wibloc Large with connector

